

100 Series



Gliding Patio Doors

Unit Dimension	Rough Opening								
	1'-3" (381)	1'-6" (457)	2'-0" (610)	2'-6" (762)	3'-0" (914)	4'-0" (1219)	5'-0" (1524)	6'-0" (1829)	8'-0" (2438)
1'-2 1/4"	1'-5 1/4"	1'-11 1/4"	2'-5 1/4"	2'-11 1/4"	3'-11 1/4"	4'-11 1/4"	5'-11 1/4"	7'-11 1/4"	
(362)	(438)	(591)	(743)	(895)	(1200)	(1505)	(1810)	(2419)	

Unit Dimension	1'-3"	1'-6"	2'-0"	2'-6"	3'-0"	4'-0"	5'-0"	6'-0"	8'-0"
1'-3"	1313	1613	2013	2613	3013	4013	5013	6013	8013
1'-6"	1316	1616	2016	2616	3016	4016	5016	6016	8016
2'-0"	1320	1620	2020	2620	3020	4020	5020	6020	8020


Unit Dimension	1'-3"	1'-6"	2'-0"	2'-6"	3'-0"	4'-0"	5'-0"	6'-0"	8'-0"
6'-8"	1368	1668	2068	2668	3068	4068	5068	6068	8068
6'-11"	13611	16611	20611	26611	30611	40611	50611	60611	80611
8'-0"	1380	1680	2080	2680	3080	4080	5080	6080	8080

Gliding Patio Door Transoms (100TR)

Gliding Patio Door Sidelights (100SL)

Gliding Patio Doors (100GD2P)

Gliding Patio Door Handing Options



Notes:

"Window Dimension" always refers to outside frame to frame dimension.
 "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
 Dimensions in parentheses are in millimeters.

Date: 07/08/16
 Scale: 1/8" (3) = 1' (305)