


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftside Door
No Screen



Additional Configurations - More configurations available.
Contact your local Andersen supplier for additional information.



Notes:




Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: None


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen



Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT
For more detailed information pertaining to product application. See the The Liftslide Site Prep Guide.



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)




Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen



Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT
For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)

Big Doors




Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen



Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT

For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**



Notes:



Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftside Door
No Screen


Andersen®
ARCHITECTURAL
COLLECTION




IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftside
Site Prep Guide.**




A Head
6 1 Track System (O-Door)



C Head
6 2 Track System



B Full Drainage Flush Sill
6 1 Track System (O-Door)



D Full Drainage Flush Sill
6 2 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories



Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door No Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors



Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen

Andersen®
ARCHITECTURAL
COLLECTION

IMPORTANT

For more detailed information pertaining to product application. See the

The Liftslide Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20

Scale: 1 1/2" (38) = 1' (305)

Andersen Windows, Inc. reserves the right to change drawing specifications without notice


File:	AC	Big Doors	Sections	Lifslide	AWLS-C-NS	Page 08 of 13
-------	----	-----------	----------	----------	-----------	---------------

Big Doors


Aluminum Wood-Clad Thermally Controlled Liftslide Door No Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



A Head
9 5 Track System



B Full Drainage Flush Sill
9 5 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.


See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
No Screen

IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



A Head
10 6 Track System



B Full Drainage Flush Sill
10 6 Track System

Notes:





Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftside Door No Screen



IMPORTANT


For more detailed
information pertaining to
product application. See the
**The Liftside
Site Prep Guide.**

Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)



A
12 Panel Interlock



B
12 Astragal

Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3" (76) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door No Screen



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.