


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftside Door
With Screen



Additional Configurations - More configurations available.
Contact your local Andersen supplier for additional information.



Notes:




Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: None

Big Doors


Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen



Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT

For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories


Date: 1/20/20
Scale: 3/8" (10) = 1' (305)

Big Doors


Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen



A 4 Panel
3 7 Track System



B 5 Panel
3 9 Track System



C 6 Panel
3 11 Track System

Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT


For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**

Head Track Options

Staggered Track (Standard)



Full Track



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 13 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)



Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen



Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT
For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)


Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen


Andersen®
ARCHITECTURAL
COLLECTION




IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**




A Head
6 1 Track System (O-Door)



C Head
6 3 Track System



B Full Drainage Flush Sill
6 1 Track System (O-Door)



D Full Drainage Flush Sill
6 3 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)



Andersen Windows, Inc. reserves the right to change drawing specifications without notice

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen

IMPORTANT

For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories



Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories


Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors


Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen



IMPORTANT
For more detailed information pertaining to product application. See the The Liftslide Site Prep Guide.



A Head
9 Track System



B Full Drainage Flush Sill
9 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories


Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors


Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



A Head
10 11 Track System



B Full Drainage Flush Sill
10 11 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.



See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors



Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen

IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



A Stationary Jamb
11 1 Track System (O-Door)

C Stationary Jamb
11 1 Track System (O-Door)



B Lock Jamb
11 11 Track System

D Stationary Jamb
11 11 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.


See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen


IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**




Interior

Exterior

A Lock Jamb
12 3 Track System




C Stationary Jamb
12 3 Track System



Interior

Exterior

B Lock Jamb
12 9 Track System



D Stationary Jamb
12 9 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 15 for Glazing Accessories


Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen




IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**




(A) Lock Jamb
13 5 Track System

Interior

Exterior




(C) Stationary Jamb
13 5 Track System



(B) Lock Jamb
13 7 Track System

Interior

Exterior



(D) Stationary Jamb
13 7 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.





See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled
Liftslide Door
With Screen

Andersen®
ARCHITECTURAL
COLLECTION



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.


See Page 15 for Glazing Accessories

Date: 1/20/20
Scale: 3" (76) = 1' (305)

Andersen Windows, Inc. reserves the right to change drawing specifications without notice

Big Doors

Aluminum Wood-Clad Thermally Controlled Liftslide Door With Screen



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.