







Big Doors

Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen



Additional Configurations - More configurations available.
Contact your local Andersen supplier for additional information.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories


Date: 1/20/20
Scale: None

Big Doors

Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen



Additional Configurations - More configurations available.
Contact your local Andersen supplier for additional information.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: None

Big Doors


Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen




Line Types	
---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT


For more detailed information pertaining to product application. See the
The Liftslide Site Prep Guide.



- (A) 1 Panel
(3) 2 Track System



- (B) 2 Panel
(3) 4 Track System



- (C) 3 Panel
(3) 6 Track System

Head Track Options

Staggered Track (Standard)



Full Track



Notes:


Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: 3/8" (10) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen





Line Types

---	Perimeter of head jamb
---	Sill tracks
---	Panel and jamb outline
---	Rough opening

IMPORTANT

For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**

Head Track Options



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.


See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: $3/8" (10) = 1' (305)$

Big Doors

Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen

Andersen
ARCHITECTURAL
COLLECTION



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories


Date: 1/20/20
Scale: $\frac{3}{8}"$ (10) = 1' (305)

Big Doors


Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen

IMPORTANT

For more detailed information pertaining to product application. See the The Liftslide Site Prep Guide.



A Head
7 2 Track System



B Full Drainage Flush Sill
7 2 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories



Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories


Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen

IMPORTANT

For more detailed information pertaining to product application. See the [The Liftslide Site Prep Guide](#).



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

[See Page 19 for Glazing Accessories](#)


Date: 1/20/20
Scale: $1\frac{1}{2}"$ (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
The Liftslide
Site Prep Guide.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories


Date: 1/20/20
Scale: $1\frac{1}{2}"$ (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories


Big Doors

Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen

Andersen®
ARCHITECTURAL
COLLECTION



IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: $1\frac{1}{2}"$ (38) = 1' (305)

Andersen Windows, Inc. reserves the right to change drawing specifications without notice


Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen




IMPORTANT


For more detailed information pertaining to product application. See the
The Liftslide Site Prep Guide.




A Lock Jamb
13 2 Track System



C Pocket Jamb
13 2 Track System



B Lock Jamb
13 4 Track System



D Pocket Jamb
13 4 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Big Doors


Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen

Andersen[®]
ARCHITECTURAL
COLLECTION




IMPORTANT

For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



A Lock Jamb
14 6 Track System



B Pocket Jamb
14 6 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: $1\frac{1}{2}"$ (38) = 1' (305)

Andersen Windows, Inc. reserves the right to change drawing specifications without notice


File: AC Big Doors Sections Liftslide AWLS-C-P-MS Page 14 of 19

Big Doors


Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen



IMPORTANT
For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



A Lock Jamb
15 8 Track System



B Pocket Jamb
15 8 Track System

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)


Big Doors

Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen


Andersen®
ARCHITECTURAL
COLLECTION

IMPORTANT

For more detailed information pertaining to product application. See the **The Liftslide Site Prep Guide.**



A Lock Jamb
16 10 Track System



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors


Aluminum Wood-Clad Thermally Controlled
Pocket Liftslide Door
With Screen

Andersen[®]
ARCHITECTURAL
COLLECTION




IMPORTANT

For more detailed
information pertaining to
product application. See the
**The Liftslide
Site Prep Guide.**



A Lock Jamb
17 12 Track System



Notes:




Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: 1 1/2" (38) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



Notes:











Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Page 19 for Glazing Accessories

Date: 1/20/20
Scale: 3" (76) = 1' (305)

Big Doors

Aluminum Wood-Clad Thermally Controlled Pocket Liftslide Door With Screen



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 1/20/20
Scale: 6" (152) = 1' (305)